

**DATA HASIL PENYELIDIKAN TANAH KOTA BANDAR LAMPUNG PROVINSI LAMPUNG**

No.	Kec. Tanjung Senang	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Kel. Labuhan Dalam	9	360	2,50 - 3,00	0,95	5,76	93,29
2	Kel. Tanjung Senang	8,6	292	2,50 - 3,00	0	21,13	78,87
3	Kel. Way Kandis	6	261	2,00 - 2,50	0	16,42	83,58
4	Labuhan Dalam	4.1 m	126	2.00 -2.40	3.92	18.65	77.44
5	Kel. Pematang Wangi	2.8 m	180	1.00 -1.50	54.38	23.42	22.2

No.	Kec. Teluk Betung	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Kel. Bumi Waras	0,7	70	0,20 - 0,60	48,92	39,52	11,56
2	Kel. Sumur Putri	6,4	239	2,50 - 3,00	0	3,80	96,20
3	Kel. Durian Payung	7.9	281	2,50 - 3,00	41.13	31.37	27.5
4	Perumahan Bukit Asri	8,33m	207	1,50 - 2,00	0,08	4,27	95,64
5	Jl. Sutami	2,24m	54,8	1,50 - 2,00	3,41	63,19	33,38
6	Panjang Pelabuhan	20 m < 40,5 Kg/cm2	122	1,50 - 2,00	1,27	39,67	59,05
7	Jl. Patimura	7,85m	416,5	1,50 - 2,00	6,04	37,46	56,5

8	Bumi Waras	5,6m	131	2,00 - 2,40	7,28	47,57	45,15
9	Vila Citra Tanjung Karang	6,2m	144	2,00 - 2,40	7,13	62,59	30,28

No.	Kec. Way Halim	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Kel. Perumnas Way Halim	8,4	392	2,50 - 3,00	0	8,14	91,86
2	Jagabaya II	8.5	202	2,00 - 2,50	9.28	3.9	86.82

No.	Kec. Kemiling	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Kel. Beringin Jaya	7,10	267	2,50 - 3,00	0	11,27	88,73
2	Jl. Purnawirawan 1	4.60 m	100	1.50-2.10	5.98	25.24	68.78
3	Perum.Bukit Kemilling	3.80 m	126	2.50-3.00	98.37	1.63	0
4	Susunan Baru Langka Pura	12,2m	303	2,00 -2,40	0,01	7,35	92,64
5	Sumber Rejo	5,2m	180	2,00 -2,40	1,78	11,38	86,84

No.	Kec. Tanjung Karang Pusat	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Jl. Raden Intan	3.4	164	1.40-2.40	1.87	15.15	82.99

No.	Kec. Tanjung Karang Timur	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	3G Perintis	3.6	104	1.00-3.00	84.99	15.01	0
2	Jl. Tirtayasa Desa Campang Raya	12,9	379	1.60 - 2.00	2.94	21.95	75.12

No.	Kec. Kedaton	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Jl.Urip Sumoharjo Gg.Tangkil	3.8	172	1.00-2.40	5.54	66.98	27.48
2	Taman Makam Pahlawan	4,5m	163	2,00 - 2,40	0,02	53,6	94,6
3	Desa Kota Sepang	4,7m	110	2,00 - 2,40	0	29,49	70,51

No.	Kec. Rajabasa	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	JL.ZA. Pagar Alam Gg Djauhar Wahid	1.8	86	0.20-1.00	65.11	22.96	65.11
2	Jl. Z. A. Pagar Alam	4,2m	135	2,00 - 2,40	0,22	8,07	91,71
3	Universitas Lampung	5,7m	130	2,00 - 2,40	161,86	33,6	25,93
4	Jl. Untung Suropati	5,2m	174	2,00 - 2,40	24,67	41,32	34,01

No.	Kec. Tanjung Karang Barat	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m) Pk > 150-200 Kg/Cm2	Jum.H.Lekat JHL (Kg/Cm2)		Sieve Analisis (%)		
					Kerikil	Pasir	Lempung
1	Kelapa Tiga Permai	4.2	244	2.00-2.50	0.83	15.30	83.87
2	Universitas Malahayati	8,3m	201	2,00 -2,40	1,42	22,42	76,11
3	Desa Segala Mider	8,8m	173	2,10 - 2,40	1,13	6,39	92,48
4	Lempasing	9,8m	122	2,10 - 2,40	4,11	91,65	4,25
5	Mata Intan IX	4,3m	240	2,00 - 2,50	2.84	3.06	94.1



No.	Kec. Teluk Betung Selatan	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m)	Jum.H.Lekat		Sieve Analisis (%)		
					Pk > 150-200 Kg/Cm2	JHL (Kg/Cm2)	Kerikil
1	Desa Talang / Pasar Cimeng	3,7m	32	2,10 - 2,40	5,16	57,45	37,39
2	Jl. Basuki Rahmat	5,20m	182	1,60 - 2,00	2,18	19,83	77,99

No.	Kec. Teluk Betung Barat	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m)	Jum.H.Lekat		Sieve Analisis (%)		
					Pk > 150-200 Kg/Cm2	JHL (Kg/Cm2)	Kerikil
1	Kel. Sukamaju	7,8m	273	0			

No.	Kec. Panjang	HASIL UJI LAPANGAN/SONDIR		Kedalaman Undisturbed Sample(m)	HASIL UJI LABORATORIUM		
		Kedalaman Tanah Keras(m)	Jum.H.Lekat		Sieve Analisis (%)		
					Pk > 150-200 Kg/Cm2	JHL (Kg/Cm2)	Kerikil
1	Pertamina Depot Panjang	4,9m	255	BH 1	4.74	65.34	29.92
				BH 2	5.89	71.7	22.4